

# User Management: How can PowerBroker be used with Bright?

How can PowerBroker be used with Bright?

PowerBroker allows AD authentication services to work with Linux. It can be made to work with Bright. The following procedure was tested with Bright 7.0 and RHEL 6 and illustrates how it can be done:

For the head node

1. Download the Power Broker script:

```
root@b70-c6 ~]# wget -c http://download.beyondtrust.com/PRISO/8.2.2/linux.rpm.x86/pbis-open-8.2.2.2993.linux.x86_64.rpm.sh
```

2. Run the downloaded script to install the binaries:

```
root@b70-c6 ~]# sh pbis-open-8.2.2.2993.linux.x86_64.rpm.sh
```

```
Creating directory pbis-open-8.2.2.2993.linux.x86_64.rpm
```

```
Verifying archive integrity... All good.
```

```
Uncompressing pbis-open-8.2.2.2993.linux.x86_64.rpm.....
```

```
Would you like to install package for legacy links? (i.e. /opt/likewise/bin/lw-find-user-by-name -> /opt/pbis/bin/find-user-by-name) (yes/no) yes
```

```
Would you like to install now? (yes/no) yes
```

```
Installing packages and old packages will be removed
```

```
Warning: /root/pbis-open-8.2.2.2993.linux.x86_64.rpm./packages/pbis-open-upgrade-8.2.2-2993.x86_64.rpm: Header V3 DSA/SHA1 Signature, key ID c9ceecf: NOKEY
```

```
Preparing... ##### [100%]
```

```
1:pbis-open-upgrade ##### [100%]
```

# User Management: How can PowerBroker be used with Bright?

warning: /root/pbis-open-8.2.2.2993.linux.x86\_64.rpm/./packages/pbis-open-8.2.2-2993.x86\_64.rpm: Header V3 DSA/SHA1 Signature, key ID c9cecef: NOKEY

Preparing... ##### [100%]

1:pbis-open ##### [100%]

Setting up SELinux Policy Module

Importing registry...

/opt/pbis/share/config/accounts.reg

/opt/pbis/share/config/dcerpcd.reg

/opt/pbis/share/config/eventlogd.reg

/opt/pbis/share/config/lsasd.reg

/opt/pbis/share/config/lwioid.reg

/opt/pbis/share/config/lwreg.reg

/opt/pbis/share/config/netlogond.reg

/opt/pbis/share/config/privileges.reg

/opt/pbis/share/config/rdr.reg

/opt/pbis/share/config/reapsysl.reg

/opt/pbis/share/config/usermonitor.reg

warning: /root/pbis-open-8.2.2.2993.linux.x86\_64.rpm/./packages/pbis-open-gui-8.2.2-2993.x86\_64.rpm: Header V3 DSA/SHA1 Signature, key ID c9cecef: NOKEY

Preparing... ##### [100%]

1:pbis-open-gui ##### [100%]

warning: /root/pbis-open-8.2.2.2993.linux.x86\_64.rpm/./packages/pbis-open-legacy-8.2.2-2993.x86\_64.rpm: Header V3 DSA/SHA1 Signature, key ID c9cecef: NOKEY

# User Management: How can PowerBroker be used with Bright?

```
Preparing... ##### [100%]
```

```
lrpbis-open-legacy ##### [100%]
```

```
Installing Packages was successful
```

```
New libraries and configurations have been installed for PAM and NSS.
```

```
Please reboot so that all processes pick up the new versions.
```

```
As root, run domainjoin-gui or domainjoin-cli to join a domain so you can log on with Active Directory credentials. Example:
```

```
domainjoin-cli join MYDOMAIN.COM MyJoinAccount
```

3. Add the AD server in the /etc/hosts list so that it can be reached, and create a forward zone for the AD domain:

```
[root@b70-c6 ~]# cat /etc/hosts
```

```
# This section of this file was automatically generated by cmd. Do not edit manually!
```

```
10.2.181.5 win2008 win2008.bcm.local bcm.local bcm
```

```
# BEGIN AUTOGENERATED SECTION -- DO NOT REMOVE
```

```
[root@b70-c6 ~]# cat /etc/resolv.conf
```

```
# This section of this file was automatically generated by cmd. Do not edit manually!
```

```
# BEGIN AUTOGENERATED SECTION -- DO NOT REMOVE
```

```
search cm.cluster eth.cluster openstacklocal new.net bcm.local
```

```
nameserver 127.0.0.1
```

# User Management: How can PowerBroker be used with Bright?

```
nameserver 10.141.255.253
```

```
nameserver 10.2.181.5
```

```
nameserver 10.2.202.202
```

```
# END AUTOGENERATED SECTION -- DO NOT REMOVE
```

```
[root@b70-c6 ~]# cat /etc/named.conf.include
```

```
zone "bcm.local" IN {
```

```
type forward;
```

```
forwarders {10.2.181.5};
```

```
};
```

4. Join the AD domain, so that the head node can be logged into with the AD credentials:

```
[root@b70-c6 ~]# domainjoin-cli join BCM.LOCAL Administrator
```

```
Joining to AD Domain: BCM.LOCAL
```

```
With Computer DNS Name: b70-c6.bcm.local
```

```
Administrator@BCM.LOCAL's password:
```

```
Warning: System restart required
```

```
Your system has been configured to authenticate to Active Directory for the first time. It is recommended that you restart your system to ensure that all applications recognize the new
```

```
settings.
```

# User Management: How can PowerBroker be used with Bright?

```
SUCCESS
```

```
[root@b70-c6 ~]# getent passwd
```

```
[...]
```

```
BCM\administrator:x:1015546356:1015546369::/home/local/BCM/administrator:/bin/sh
```

```
BCM\guest:x:1015546357:1015546370::/home/local/BCM/guest:/bin/sh
```

```
BCM\krbtgt:x:1015546358:1015546369::/home/local/BCM/krbtgt:/bin/sh
```

```
BCM\adel:x:1015546959:1015546369:adel:/home/local/BCM/adel:/bin/sh
```

```
mohamed@mohamed:~$ ssh -l BCM\adel b70-c6
```

```
[...]
```

```
Creating DSA key for ssh
```

```
-sh-4.1$
```

```
[root@b70-c6 ~]# tail /var/log/secure
```

```
[...]
```

```
May 11 08:55:07 b70-c6 sshd[18667]: Accepted keyboard-interactive/pam for BCM\adel from 10.2.184.4 port 36976 ssh2
```

```
May 11 08:55:07 b70-c6 sssd[18667]: pam_unix(sshd:session): session opened for user BCM\adel by (uid=0)
```

5. Add the following line in /etc/rc.local of the head nodes:

```
[root@b70-c6 ~]# cat /etc/rc.local
```

```
[...]
```

```
domainjoin-cli join BCM.LOCAL Administrator <ChangeMe>
```

# User Management: How can PowerBroker be used with Bright?

**For the compute nodes**

1. copy the downloaded script into the tmp directory of the software image:

```
[root@b70-c6 ~]# cp pbis-open-8.2.2.2993.linux.x86_64.rpm.sh /cm/images/default-image/tmp/
```

2. chroot into the software image and run the script to install the binaries:

```
[root@b70-c6 ~]# chroot /cm/images/default-image/  
[root@b70-c6 /]# sh /tmp/pbis-open-8.2.2.2993.linux.x86_64.rpm.sh
```

**Creating directory pbis-open-8.2.2.2993.linux.x86\_64.rpm**

Verifying archive integrity... All good.

Uncompressing pbis-open-8.2.2.2993.linux.x86\_64.rpm.....

Would you like to install package for legacy links? (i.e. /opt/likewise/bin/lw-find-user-by-name ->

/opt/pbis/bin/find-user-by-name) (yes/no) yes

Would you like to install now? (yes/no) yes

**Installing packages and old packages will be removed**

warning: /pbis-open-8.2.2.2993.linux.x86\_64.rpm/.packages/pbis-open-upgrade-8.2.2-2993.x86\_64.rpm: Header V3 DSA/SHA1 Signature, key ID c9cecef: NOKEY

Preparing... ##### [100%]

1:pbis-open-upgrade ##### [100%]

warning: /pbis-open-8.2.2.2993.linux.x86\_64.rpm/.packages/pbis-open-8.2.2-2993.x86\_64.rpm: Header V3 DSA/SHA1 Signature, key ID c9cecef: NOKEY

Preparing... ##### [100%]

1:pbis-open ##### [100%]

**Setting up SELinux Policy Module**

# User Management: How can PowerBroker be used with Bright?

Importing registry...

```
/opt/pbis/share/config/accounts.reg
/opt/pbis/share/config/dcerpcd.reg
/opt/pbis/share/config/eventlogd.reg
/opt/pbis/share/config/lsassd.reg
/opt/pbis/share/config/lwiod.reg
/opt/pbis/share/config/lwreg.reg
/opt/pbis/share/config/netlogond.reg
/opt/pbis/share/config/privileges.reg
/opt/pbis/share/config/rdr.reg
/opt/pbis/share/config/reapsysl.reg
/opt/pbis/share/config/usermonitor.reg
```

warning: /pbis-open-8.2.2.2993.linux.x86\_64.rpm/.packages/pbis-open-gui-8.2.2-2993.x86\_64.rpm: Header V3 DSA/SHA1 Signature, key ID c9ceecef: NOKEY

```
Preparing... ##### [100%]
 1:pbis-open-gui ##### [100%]
```

warning: /pbis-open-8.2.2.2993.linux.x86\_64.rpm/.packages/pbis-open-legacy-8.2.2-2993.x86\_64.rpm: Header V3 DSA/SHA1 Signature, key ID c9ceecef: NOKEY

```
Preparing... ##### [100%]
 1:pbis-open-legacy ##### [100%]
```

Installing Packages was successful

New libraries and configurations have been installed for PAM and NSS.

Please reboot so that all processes pick up the new versions.

[...]

3.a. for RHEL6-like systems, you'll need to add the following line in /cm/images/default-image/etc/rc.local so that the compute nodes are registered with AD after each reboot:

```
[root@b70-c6 ~]# cat /etc/rc.local
```

[...]

```
domainjoin-cli join BCM.LOCAL Administrator <password>
```

3.b. for RHEL7-like systems, you'll need to "ExecStartPost=/path/to/post/lwsmc/startup/script" to the "/etc/pbis/redhat/lwsmc.service" script so the custom post script can do the join after the service has started.

# User Management: How can PowerBroker be used with Bright?

## Troubleshooting

### Issue:

```
[root@b70-c6 ~]# sh pbis-open-8.2.2.2993.linux.x86_64.rpm.sh
```

```
Creating directory pbis-open-8.2.2.2993.linux.x86_64.rpm
```

```
Verifying archive integrity... All good.
```

```
Uncompressing pbis-open-8.2.2.2993.linux.x86_64.rpm.....
```

```
ERROR: LD_LIBRARY_PATH, LIBPATH, and SHLIB_PATH must be unset or list /opt/pbis/lib as the first directory. See the "Requirements for the Agent" section of the PowerBroker Identity Services manual for more information.
```

### Resolution:

```
[root@b70-c6 ~]# unset LD_LIBRARY_PATH
```

### ISSUE:

```
[root@b70-c6 ~]# domainjoin-cli join BCM.LOCAL Administrator
```

```
Joining to AD Domain: BCM.LOCAL
```

```
With Computer DNS Name: b70-c6.bcm.local
```

```
Administrator@BCM.LOCAL's password:
```

```
Error: DNS_ERROR_BAD_PACKET [code 0x0000251e]
```

```
A bad packet was received from a DNS server. Potentially the requested address does not exist.
```



# User Management: How can PowerBroker be used with Bright?

```
[root@b70-c6 ~]# domainjoin-cli join BCM.LOCAL Administrator
```

```
Joining to AD Domain: BCM.LOCAL
```

```
With Computer DNS Name: b70-c6.bcm.local
```

```
Administrator@BCM.LOCAL's password:
```

```
Error: DNS_ERROR_BAD_PACKET [code 0x0000251e]
```

```
A bad packet was received from a DNS server. Potentially the requested address does not exist.
```

## Resolution:

```
Add the DNS role to the windows server (if it's not added already), add the AD as a nameserver in the base partition and make sure that the forward zone for the AD DNS is configured properly.
```

## ISSUE:

```
[root@b70-c6 ~]# domainjoin-cli join BCM.LOCAL Administrator
```

```
Joining to AD Domain: BCM.LOCAL
```

```
With Computer DNS Name: b70-c6.BCM.LOCAL
```

```
Administrator@BCM.LOCAL's password:
```

```
Warning: Unsupported loader flags set
```

```
LD_LIBRARY_PATH and/or LD_PRELOAD are currently set on your system. Best practices for Unix and Linux administration strongly recommend not to use these environmental variables. PowerBroker
```

```
Identity Services does not support environments where either variable is set.
```

# User Management: How can PowerBroker be used with Bright?

If this operation fails you should stop all PowerBroker Identity Services daemons, clear the environmental variable, then retry the join operation.

For more information, see the PowerBroker Identity Services guide online at:

<http://www.beyondtrust.com/Technical-Support/Downloads/files/pbiso/Manuals/likewise-open-guide.html#AgentRequirements>

Or a local PDF file is available in:

`/opt/pbis/docs/likewise-open-guide.pdf` (See section 4.2 Requirements for the Agent)

**SUCCESS**

**Resolution:**

Before running the `domainjoin-cli` command, unload any environment modules which export `LD_LIBRARY_PATH`. This will stop the warning.

Unique solution ID: #1268

Author: Frank Furter

Last update: 2015-12-29 01:47